

DNA Natural Polymers

GCSE Chemistry · Written to the shared content for AQA, Edexcel and OCR

Name _____ Class _____ Date _____

1. Worked example

Name the monomers that make up proteins, starch and DNA. (3 marks)

Step 1 · Proteins

Amino acids.

Step 2 · Starch (and cellulose)

Sugars (glucose).

Step 3 · DNA

Nucleotides.

Answer: Amino acids; sugars; nucleotides

Check: All three are natural polymers made by condensation.

2. Now try one with the steps

Describe the structure of DNA. (3 marks)

Step 1 · Chains

Step 2 · Monomers

Step 3 · Shape

Answer:

3. Practice

Show your working. The marks tell you how much is expected.

1. Name the monomers that make up proteins. [1]

2. Name the type of monomer that makes up starch and cellulose. [1]

3. Name the monomers that make up DNA. [1]

4. State the number of different nucleotides in DNA. [1]
- _____
- _____
5. Describe the structure of DNA. [2]
- _____
- _____
6. State the function of DNA. [1]
- _____
- _____
7. Give three examples of naturally occurring polymers. [3]
- _____
- _____
- _____
8. Calculate the relative formula mass of glycine, $\text{H}_2\text{NCH}_2\text{COOH}$. (C = 12, H = 1, N = 14, O = 16) [1]
- _____
- _____
9. Calculate the relative formula mass of glucose, $\text{C}_6\text{H}_{12}\text{O}_6$. (C = 12, H = 1, O = 16) [1]
- _____
- _____
10. Name the two functional groups in an amino acid. [2]
- _____
- _____
11. Explain why the formation of proteins is described polymerisation. [2]
- _____
- _____
12. Calculate the M_r of the dipeptide formed from two glycine molecules (M_r 75 each). [2]
- _____
- _____
13. 150 g of glycine (2 mol) forms the dipeptide. Calculate the mass of water released, in g. (H = 1, O = 16) [2]
- _____
- _____
14. Name the type of polymer formed when many glycine molecules join together. [1]
- _____
- _____

4. Before you hand it in

"DNA is a single strand."

DNA has two polymer chains twisted into a double helix.

"Proteins are made of glucose."

Proteins are made of amino acids.

Forgetting to subtract water in condensation

M_r of a dipeptide = $2 \times M_r$ of amino acid – 18.