

# Graphs Quadratic Cubic

GCSE Maths · Written to the shared content for AQA, Edexcel and OCR

Name \_\_\_\_\_ Class \_\_\_\_\_ Date \_\_\_\_\_

## 1. Worked example

Complete a table of values for  $y = x^2 - 2x - 3$  from  $x = -2$  to  $x = 4$ .

Step 1 · Substitute each  $x$  (careful with negatives)

$$x = -2: 4 + 4 - 3 = 5$$

Step 2 · Continue

$$5, 0, -3, -4, -3, 0, 5$$

Step 3 · Plot and join smoothly

A U-shaped curve

**Answer:  $y = 5, 0, -3, -4, -3, 0, 5$**

Check: The values are symmetrical about  $x = 1$  ✓

## 2. Now try one with the steps

Use the graph of  $y = x^2 - 2x - 3$  to find the roots, the line of symmetry and the turning point.

Step 1 · Roots: where the curve crosses  $y = 0$

\_\_\_\_\_

Step 2 · Symmetry: halfway between

\_\_\_\_\_

Step 3 · Turning point:  $y$  at  $x = 1$

\_\_\_\_\_

**Answer:**

\_\_\_\_\_

## 3. Practice

Show your working. The marks tell you how much is expected.

1. Describe the shape of the graph of  $y = x^2$ . [1]

\_\_\_\_\_  
\_\_\_\_\_

2. Where does  $y = x^2 - 4$  cross the  $x$ -axis? [2]

\_\_\_\_\_  
\_\_\_\_\_

3. Where does  $y = x^2 + 3x - 10$  cross the  $y$ -axis? [1]

\_\_\_\_\_  
\_\_\_\_\_

4. Find the roots of  $y = x^2 + 3x - 10$ . [2]  
\_\_\_\_\_  
\_\_\_\_\_
5.  $y = x^2 - 6x + 5$  has roots 1 and 5. Find its turning point. [2]  
\_\_\_\_\_  
\_\_\_\_\_
6. Find the value of  $y = x^2 + 1$  when  $x = -3$ . [1]  
\_\_\_\_\_  
\_\_\_\_\_
7. Find the value of  $y = x^3$  when  $x = -2$ . [1]  
\_\_\_\_\_  
\_\_\_\_\_
8. Find the value of  $y = 12/x$  when  $x = 3$ . [1]  
\_\_\_\_\_  
\_\_\_\_\_
9. Describe the graph of  $y = 4 - x^2$ . [2]  
\_\_\_\_\_  
\_\_\_\_\_
10. Write down the equation of the line of symmetry of  $y = x^2 - 8x + 7$ . [2]  
\_\_\_\_\_  
\_\_\_\_\_
11. Use the graph of  $y = x^2 - 2x - 3$  (or algebra) to solve  $x^2 - 2x - 3 = 5$ . [2]  
\_\_\_\_\_  
\_\_\_\_\_
12. How many solutions does  $x^3 - 4x = 0$  have? [1]  
\_\_\_\_\_  
\_\_\_\_\_
13. Explain why the graph of  $y = 1/x$  never crosses the y-axis. [1]  
\_\_\_\_\_  
\_\_\_\_\_
14. Which of  $y = 2x + 1$ ,  $y = x^2$ ,  $y = x^3$  and  $y = 1/x$  has two separate branches? [1]  
\_\_\_\_\_  
\_\_\_\_\_

15. Does the graph of  $y = x^2 + 2x + 5$  cross the x-axis? Explain using its turning point.

[3]

---

---

---

---

#### 4. Before you hand it in

**$(-2)^2$  entered as  $-2^2 = -4$  in a table of values**

$(-2)^2 = +4$ . Use brackets:  $x^2$  is never negative.

**Joining plotted points with straight lines**

Quadratics, cubics and reciprocals are smooth curves. Draw one smooth curve through the points, and a rounded bottom (not a point) at a turning point.

**Drawing  $y = 1/x$  continuous curve through the origin**

$1/x$  is undefined at  $x = 0$ , so there are two separate branches.

**Turning point of  $y = x^2 - 6x + 5$  at (0, 5)**

The turning point is on the line of symmetry, halfway between the roots 1 and 5:  $x = 3$ ,  $y = -4$ .