

Hooke's Law Elasticity

GCSE Physics · Written to the shared content for AQA, Edexcel and OCR

Name _____ Class _____ Date _____

1. Worked example

A spring has a spring constant of 25 N/m. Calculate the force needed to stretch it by 0.20 m. (2 marks)

Step 1 · Write the equation

$$\text{force} = \text{spring constant} \times \text{extension}, F = k e$$

Step 2 · Substitute and calculate

$$F = 25 \times 0.20 = 5.0 \text{ N}$$

Answer: 5.0 N

Check: Extension must be in metres when k is in N/m.

2. Now try one with the steps

A spring is 12.0 cm long. With a 4.0 N weight hung on it, it is 20.0 cm long. Calculate the spring constant. (3 marks)

Step 1 · Extension

Step 2 · Rearrange

Step 3 · Calculate

Answer:

3. Practice

Show your working. The marks tell you how much is expected.

1. Explain why more than one force is needed to stretch a spring. [1]

2. Describe the difference between elastic and inelastic deformation. [2]

3. State Hooke's law. [2]

4. A spring has $k = 25 \text{ N/m}$ and is stretched by 0.20 m . Calculate the force applied. [2]
5. A spring is 12.0 cm long. When stretched it is 15.5 cm long. State its extension. [1]
6. A spring with $k = 40 \text{ N/m}$ has a 6.0 N force applied. Calculate its extension. [2]
7. A 4.0 N force extends a spring by 8.0 cm . Calculate the spring constant in N/m . [3]
8. Define the limit of proportionality. [1]
9. A spring with $k = 200 \text{ N/m}$ is stretched by 0.050 m . Calculate the elastic potential energy stored in joules. [2]
10. A force–extension graph has force on the y-axis. State what the gradient of the straight part represents. [1]
11. Calculate the work done in stretching a spring ($k = 80 \text{ N/m}$) by 0.25 m , within the limit of proportionality. Give your answer in joules. [2]
12. Explain what it means when a force–extension graph starts to curve. [2]
13. A 0.60 kg mass hangs from a spring with $k = 120 \text{ N/m}$. Calculate the extension in cm . $g = 9.8 \text{ N/kg}$. [3]

14. A bungee rope's force–extension graph is a straight line from (0 m, 0 N) to (20 m, 500 N). Calculate the work done stretching it 20 m, in joules. [2]

4. Before you hand it in

Using the stretched length extension

Extension = stretched length – original length.

$k = 4.0 \div 8.0 = 0.5 \text{ N/m}$ for 8.0 cm

Convert cm to m: 8.0 cm = 0.080 m, so $k = 50 \text{ N/m}$.

Using $F = k e$ beyond the limit of proportionality

Check the force is below the limit of proportionality before using $F = k e$ or $\frac{1}{2} k e^2$.

Forgetting to square e in $\frac{1}{2} k e^2$

$\frac{1}{2} \times 200 \times 0.05^2 = 0.25 \text{ J}$, not $\frac{1}{2} \times 200 \times 0.05 = 5 \text{ J}$.